

REPTILES FROM THE ISLANDS OF TASMANIA

R.H. Green and J.L. Rainbird

June 1993

TECHNICAL REPORT 1993/1

**QUEEN VICTORIA MUSEUM AND ART GALLERY
LAUNCESTON**

Reptiles from the islands of Tasmania

by R.H. Green and J.L. Rainbird
Queen Victoria Museum, Launceston

ABSTRACT

Records of lizards and snakes from 110 islands within the political boundaries of Tasmania are summarised. Dates, literature, references and materials collected are given, together with some comments on numerical status and breeding conditions.

INTRODUCTION

Very little has been published on the distribution of reptiles which occur on the smaller islands around Tasmania. MacKay (1955) gave some notes on a collection of reptiles from the Furneaux Islands. Rawlinson (1967) listed and discussed records of 13 species from the Furneaux Group and 10 species from King Island. Green (1969) recorded 12 species from Flinders Island and Mt Chappell Island and Green and McGarvie (1971) recorded 9 species from King Island following fauna surveys in both locations. Rawlinson (1974) listed 15 species as occurring on the Tasmanian mainland, 12 on islands in the Furneaux Group and 9 on King Island. Hutchinson *et al.* (1989) gave some known populations of *Pseudemoia pretiosa* on islands off the southern coast, and haphazard and opportunistic collecting has produced occasional records from various small islands over the years.

In 1984 Nigel Brothers, a field biologist with the Tasmanian Department of Environment and Parks, Wildlife and Heritage, commenced a programme designed to gain a greater knowledge of the small and uninhabited islands around Tasmania. The survey involved landing on rocks and small islands which might support vegetation and fauna and to record observations and collect specimens. In order to document and consolidate the reptile material collected on the visits, Brothers progressively lodged specimens with the Queen Victoria Museum. As a result we now have records from more than 100 locations. Most of the reptilian material collected has been of small skinks and many were kept alive until processed. Whenever practical specimens were measured, sexed, breeding condition recorded and notes made on gut contents.

The present annotated list encompasses the Brothers collection and his site records together with published records by Brothers and others who have, over the years, collected material and recorded the occurrence of reptiles on many of the rocks and islands which fall within the political boundary of Tasmania.

Many more sites remain to be surveyed. This contribution is therefore presented in an effort to summarise present knowledge and hopefully to encourage others to build upon it as opportunities occur.

The following inventory covers 110 islands around Tasmania from which we have records of reptiles (Figure 1). The island listing is in alphabetical order, the accepted name being followed by its map reference. This is followed by the species, the date of collection or of the encounter, literature reference or collector and when available, maturity, sex and breeding condition, comments on material collected, numerical status. Generic names are given in full in Tables 1, 2 and 3. Nomenclature follows Cogger (1992).

The initials N.P.B. is N.P. Brothers, R.H.G. is R.H. Green. Specimens thus cited were deposited in the herpetological collection of the Queen Victoria Museum.

SPECIES DISTRIBUTION

ACTAEON ISLAND: 43° 31'S, 147° 00'E

<i>P. metallica</i>	4.xii.1980	(Brothers, 1983)	Numerous
---------------------	------------	------------------	----------

ALBATROSS ISLAND: 40° 23'S, 144° 39'E

<i>P. metallica</i>		(Rawlinson, 1974)	
<i>P. metallica</i>	24-31.i.1973	R.H.G.	4 specs.
<i>P. metallica</i>	_i.1981	N.P.B.	3 specs.
<i>P. pretiosa</i>		(Rawlinson, 1974)	
<i>P. pretiosa</i>	19.i.1960	(Macdonald & Green, 1963) R.H.G.	Very common/9 specs.
<i>P. pretiosa</i>	24-31.i.1973	(Green, 1974) R.H.G.	Numerous/52 specs.
<i>P. pretiosa</i>	_i.1981	N.P.B.	2 specs.
<i>P. pretiosa</i>	17.xi.1986	N.P.B.	24 specs.

BABEL ISLAND: 39° 57'S, 148° 20'E

<i>P. metallica</i>	4.xii.1986	N.P.B.	Ad. ♂, testes 3.5 x 1.5
<i>P. metallica</i>	5.xii.1986	N.P.B.	Ad. ♂, testes 2.5 x 1.0
<i>P. trilineata</i>	12-16.iii.1955	(MacKay, 1955)	5 specs.
<i>P. trilineata</i>	5.xii.1986	N.P.B.	Ad. +, 4 eggs 11.5 x 5
<i>L. bougainvillii</i>	14.iii.1955	(MacKay, 1955)	1 spec.
<i>L. bougainvillii</i>	_iv.1968	(Green, 1969)	1 Ad.
<i>T. nigrolutea</i>	12-16.iii.1955	(MacKay, 1955)	6 specs.
<i>D. coronoides</i>	15-16.iii.1955	(MacKay, 1955)	4 specs.
<i>N. ater</i>	_xi.1901	(Le Soeuf, 1902)	Plentiful
<i>N. ater</i>	14-15.iii.1955	(MacKay, 1955)	1 Juv./1 Ad., extremely common
<i>N. ater</i>	_ii.1983	(Towney & Skira, 1985a)	Numerous

BADGER ISLAND: 40° 19'S, 147° 52'E

<i>T. diemensis</i>	25.xi.1986	N.P.B.	Ad. +, 6 eggs 7 x 7
<i>P. metallica</i>	30.xi.1986	N.P.B.	Ad. +, 5 embryos full term
<i>P. metallica</i>	30.xi.1986	N.P.B.	Ad. +, 4 embryos full term
<i>P. ocellata</i>	30.xi.1986	N.P.B.	S. Ad. ♂, testes 2 x 1
<i>P. ocellata</i>	30.xi.1986	N.P.B.	Ad. ♂, testes 8 x 4
<i>P. ocellata</i>	30.xi.1986	N.P.B.	Ad. +, 4 embryos 50% dev.
<i>P. ocellata</i>	30.xi.1986	N.P.B.	Ad. +, 2 embryos 50% dev.
<i>E. whitii</i>	30.xi.1986	N.P.B.	S. Ad. ♂, testes 3 x 2

BAYNES ISLAND: 39° 47'S, 147° 57'E

<i>P. metallica</i>	17.xii.1985	N.P.B.	S. Ad. ♂, testes 0.3
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, 6 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, 5 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, 4 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, 3 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, 2 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. +, post partum

BETSY ISLAND: 43° 03'S, 147° 29'E

<i>E. whitii</i>	15.i.1986	N.P.B.	Ad. ♂
<i>C. casuarinae</i>	15.i.1986	N.P.B.	S. Ad. ♂

BIG CAROLINE ROCK: 43° 22'S, 145° 56'E

<i>P. pretiosa</i>	26.vi.1984	(Brothers, 1985) N.P.B.	2 specs.
--------------------	------------	-------------------------	----------

BIG GREEN ISLAND: 40° 11'S, 147° 59'E

<i>P. metallica</i>	1969	J. Whinray	1 spec.
<i>P. metallica</i>	9.xii.1986	N.P.B.	Ad. ♂, testes 5 x 3
<i>P. metallica</i>	9.xii.1986	N.P.B.	Ad. ♂, testes 6 x 4
<i>L. bougainvillii</i>	9.xii.1986	N.P.B.	Ad. +, ovum 0.2
<i>L. bougainvillii</i>	9.xii.1986	N.P.B.	Ad. +, ovum 0.5

BILLY GOAT REEFS: 40° 13'S, 148° 16'E

<i>N. sp.</i>		(Skira & Brothers, 1988a)	1 sighted
<i>D. coronoides</i>		(Skira & Brothers, 1988a)	1 sighted

BLACK PYRAMID: 43° 51'S, 146° 59'E

<i>P. metallica</i>	25.xi.1987	N.P.B.	2 specs.
<i>E. whiti</i>	_.xii.1983	N.P.B.	1 spec.

BOXEN ISLAND: 40° 22'S, 147° 49'E

<i>P. metallica</i>	28.xi.1986	N.P.B.	S. Ad. ♂, testes 1 x 0.5
<i>P. metallica</i>	28.xi.1986	N.P.B.	S. Ad. ♂, testes 2 x 1
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 6 embryos 50% dev.
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 4 embryos 30% dev.
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 2 embryos 10% dev.
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 1 embryo 40% dev.

BREAKSEA ISLAND: 43° 20'S, 145° 56'E

<i>P. pretiosa</i>	_.xii.1981	N.P.B.	6 specs. (Main Is.)
<i>P. pretiosa</i>	_.xii.1981	N.P.B.	3 specs. (Southern Is.)

BRIGGS ISLET: 40° 15'S, 148° 17'E

<i>L. sp.</i>	5.xii.1986	(Skira & Brothers, 1987)	1 sighted
---------------	------------	--------------------------	-----------

BRUNY ISLAND: 43° 23'S, 147° 17'E

<i>A. superba</i>	1.xii.1985	T. Schwaner	1 spec.
-------------------	------------	-------------	---------

CAPE BARREN ISLAND: 40° 26'S, 148° 28'E

<i>P. metallica</i>	1969	J. Whinray	4 specs.
<i>P. metallica</i>	25.xi.1986	N.P.B.	Ad. +, 4 embryos 30% dev.
<i>P. metallica</i>	25.xi.1986	N.P.B.	Ad. +, 4 embryos 20% dev.

CAT ISLAND: 39° 58'S, 148° 22'E

<i>E. whiti</i>		(Warham, 1979)	Common
<i>N. ater</i>		(Cashion, 1959)	
<i>N. ater</i>		(MacKay, 1955)	Extremely common

CHALKY ISLAND: 40° 06'S, 147° 48'E

<i>P. metallica</i>		(Robertson, 1981)	
<i>P. metallica</i>	10.xii.1986	N.P.B.	Ad. + , 3 embryos 60% dev.
<i>E. whitii</i>		(Robertson, 1981)	
<i>D. coronoides</i>		(Robertson, 1981)	
<i>N. ater</i>		(Robertson, 1981)	

CHAPPELL ISLAND - See Mount Chappell Island

CHRISTMAS ISLAND: 39° 41'S, 143° 50'E

<i>N. ater</i>		(Rawlinson, 1967)	1 spec.
----------------	--	-------------------	---------

CONE ISLAND: 39° 30'S, 147° 38'E

<i>P. metallica</i>	12.xi.1984	N.P.B.	4 specs.
---------------------	------------	--------	----------

CRAGGY ISLET: 39° 41'S, 147° 41'E

<i>P. metallica</i>	17.xii.1986	N.P.B.	Ad. ♂ , testes 6 x 3
<i>P. metallica</i>	17.xii.1986	N.P.B.	Ad. ♂ , testes 4 x 2
<i>P. metallica</i>	17.xii.1986	N.P.B.	Ad. + , 4 embryos 30% dev.

CURTIS ISLAND: 39° 29'S, 147° 37'E

<i>P. metallica</i>	12.xi.1984	(Rawlinson, 1974) N.P.B.	3 specs.
<i>L. bougainvillii</i>	12.xi.1984	(Rawlinson, 1974) N.P.B.	4 specs.
<i>E. whitii</i>	12.xi.1984	(Rawlinson, 1974) N.P.B.	2 specs.
<i>D. coronoides</i>		(Rawlinson, 1974)	

DEAL ISLAND: 39° 29'S, 147° 19'E

<i>P. metallica</i>	8.xi.1984	N.P.B.	3 specs.
<i>L. bougainvillii</i>	8.xi.1984	N.P.B.	1 specs.
<i>E. whitii</i>	8.xi.1984	N.P.B.	2 specs.
<i>T. scincoides</i>	8.xi.1984	N.P.B.	Pers. comm./sighted
<i>D. coronoides</i>	8.xi.1984	N.P.B.	Pers. comm./sighted

DEVILS TOWER: 39° 24'S, 147° 44'E

<i>P. metallica</i>	11.xi.1984	N.P.B.	6 specs.
---------------------	------------	--------	----------

DE WITT: 43° 36'S, 146° 21'E

<i>P. metallica</i>	13.xii.1987	N.P.B.	4 specs.
<i>P. pretiosa</i>	_xii.1976 -	(White, 1981)	Common/12 specs.
	_ii.1977		

DOUGHBOY ISLAND: 40° 21'S, 148° 03'E

<i>P. metallica</i>	1.xii.1986	N.P.B.	S. Ad. ♂ , testes 2 x 1
<i>P. metallica</i>	1.xii.1986	N.P.B.	S. Ad. ♂ , testes .5 x .5

EAST FORSTER ISLAND: 39° 44'S, 147° 58'E

<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 3 embryos full term
---------------------	-------------	--------	-----------------------------

EAST HOGAN ISLAND: 39° 13'S, 147° 59'E

<i>P. metallica</i>	15.xi.1984	N.P.B.	Pers. comm./sighted
<i>L. bougainvillii</i>	15.xi.1984	N.P.B.	2 specs.
<i>E. whitii</i>	15.xi.1984	N.P.B.	Pers. comm./sighted

EAST KANGAROO ISLAND: 40° 11'S, 148° 54'E

<i>P. metallica</i>	10.xii.1986	N.P.B.	S. Ad. ♂ , testes 1 x .5
<i>E. whitii</i>	20.iv.1969	J. Whinray	2 specs.
<i>E. whitii</i>	10.xii.1969	N.P.B.	2 Ad. ♂♂ , testes 2 x 1
<i>E. whitii</i>	10.xii.1986	N.P.B.	S. Ad. ♂ , testes 1 x .5
<i>E. whitii</i>	10.xii.1986	N.P.B.	Ad. +

EAST MONCOUER ISLAND: 39° 14'S, 146° 30'E

<i>P. metallica</i>	13.xi.1984	N.P.B.	2 specs.
<i>L. bougainvillii</i>	13.xi.1984	N.P.B.	1 spec.
<i>E. whitii</i>	13.xi.1984	N.P.B.	1 spec.

EAST PYRAMID: 43° 25'S, 145° 58'E

<i>P. pretiosa</i>	2.xii.1981	(Brothers, 1985) N.P.B.	5 specs.
--------------------	------------	-------------------------	----------

EAST SISTER ISLAND: 39° 40'S, 148° 00'E

<i>E. whitii</i>	15.xii.1986	N.P.B.	Ad. + , ova 0.5
<i>E. whitii</i>	16.xii.1986	N.P.B.	Ad. ♂ , testes 5 x 2
<i>E. whitii</i>		N.P.B.	Ad. + , 3 embryos 10% dev.

ERITH ISLAND: 39° 28'S, 147° 58'E

<i>P. metallica</i>	10.xi.1984	N.P.B.	4 specs.
<i>P. trilineata</i>	10.xi.1984	N.P.B.	1 spec.
<i>E. whitii</i>	10.xi.1984	N.P.B.	4 specs.
<i>D. coronoides</i>	10.xi.1984	N.P.B.	Pers. comm./sighted

FISHER ISLAND: 40° 13'S, 148° 14'E

<i>P. entrecasteauxii</i>	17.iii.1955	(MacKay, 1955)	1 spec.
<i>P. entrecasteauxii</i>	13.ii.1972	M. Templeton	1 spec.
<i>P. entrecasteauxii</i>		(Serventy, 1977)	Plentiful
<i>P. metallica</i>		(Rawlinson, 1967)	2 specs.
<i>P. metallica</i>	12.ii.1972	M. Templeton	2 specs.
<i>P. metallica</i>	13.ii.1972	M. Templeton	2 specs.
<i>A. superbus</i>	6.xii.1955	(MacKay, 1955)	1 spec.
<i>A. superbus</i>		(Serventy, 1977)	Collected on very rare occasions
<i>D. coronoides</i>	26.xi.1948	(MacKay, 1955)	1 spec.
<i>D. coronoides</i>		(Serventy, 1977)	Collected on very rare occasions

FLAT TOP ISLAND: 43° 38'S, 146° 23'E

<i>P. pretiosa</i>	3.xi.1983	N.P.B. N.P.B.	6 specs. 1 spec.
--------------------	-----------	------------------	---------------------

FLAT WITCH ISLAND: 43° 37'S, 146° 18'E

<i>P. pretiosa</i>	30.xii.1978	(White, 1979, 1981) G. White	1 Ad., not common
--------------------	-------------	------------------------------	-------------------

FLINDERS ISLAND: 40° 00'S, 148° 00'E

<i>T. diemensis</i>		(Rawlinson, 1967)	2 specs.
<i>T. diemensis</i>	_i.1964	(Green, 1969) F. Rhodes	1 Ad.
<i>T. diemensis</i>	12.xi.1966	(Green, 1969) R.H.G.	2 specs.
<i>T. diemensis</i>	23.ix.1967	(Green, 1969) R.H.G.	1 spec.
<i>P. entrecasteauxii</i>		(Rawlinson, 1967)	2 specs.
<i>P. entrecasteauxii</i>	1.ii.1978	R.H.G.	Ad. + , plus 2 born in captivity
<i>P. metallica</i>	_x.1962, _ii.1964	(Rawlinson, 1967)	41 specs.
<i>P. metallica</i>	_i.1964	F. Rhodes	1 spec.
<i>P. metallica</i>	14-25.iii.1966	(Green, 1969) R.H.G.	Common/5 specs.
<i>P. metallica</i>	12.xi.1966	R.H.G.	1 spec.
<i>P. metallica</i>	3.ix.1967	S. Rhodes	Ad. ♂
<i>P. metallica</i>	3.ix.1967	(Green, 1969, as <i>P. pretiosa</i>) F. Rhodes	Ad. +
<i>P. metallica</i>	22.ix.1967	(Green, 1969) R.H.G.	Plentiful/3 specs.
<i>P. metallica</i>	25.xi.1967	(Green, 1969, as <i>P. pretiosa</i>) F. Rhodes	1 spec.
<i>P. metallica</i>	3.iv.1969	J. Whinray	4 specs.
<i>P. metallica</i>	10.ii.1974	F. Rhodes	1 spec.
<i>P. ocellata</i>	19-20.iii.1955	(MacKay, 1955)	1 Ad./1 Juv.
<i>P. ocellata</i>	_x.1962	(Rawlinson, 1967)	37 specs.
<i>P. ocellata</i>	14.i.1964	(Green, 1969) S. Rhodes	1 S. Ad.
<i>P. pretiosa</i>		(Rawlinson, 1967)	1 spec.
<i>P. trilineata</i>	19-20.iii.1955	(MacKay, 1955)	5 specs.
<i>P. trilineata</i>	11.ii.1964	F. Rhodes	1 spec.
<i>P. trilineata</i>	17.iv.1965	M.T.L.E. Vogelpoel	1 spec.
<i>P. trilineata</i>	14-25.iii.1966	(Green, 1969) R.H.G.	4 specs.
<i>P. trilineata</i>	6.i.1967	(Green, 1969) F. Rhodes	1 S. Ad.
<i>P. trilineata</i>	22.ix.1967	(Green, 1969) R.H.G.	Common/7 specs.
<i>P. trilineata</i>		(Rawlinson, 1967)	9 specs.
<i>P. trilineata</i>	15.iv.1969	J. Whinray	3 specs.
<i>E. whitti</i>		(MacKay, 1955)	1 Juv.
<i>E. whitti</i>	_x.1962, _ii.1964	(Rawlinson, 1967)	22 specs.
<i>E. whitti</i>	13.i.1964	(Green, 1969) D. Rhodes	Ad. ♂
<i>E. whitti</i>	17.iv.1965	(Green, 1969) M.T.L.E. Vogelpoel	6 specs.
<i>E. whitti</i>	14-25.iii.1966	R.H.G.	2 specs.
<i>E. whitti</i>	20.viii.1971	A. Dalgleish	1 spec.
<i>T. nigrolutea</i>	1966, 1967	(Green, 1969) (Rawlinson, 1967)	1 spec., several road-killed 1 spec., 3 observed
<i>A. superbus</i>		(MacKay, 1955)	Quite common
<i>A. superbus</i>	1961	D. Rhodes	1 spec.
<i>A. superbus</i>		(Rawlinson, 1967)	7 specs., 3 observed
<i>A. superbus</i>	1966	(Green, 1969)	3 specs.
<i>A. superbus</i>	1982	F. Posh	4 Ad. ++
<i>D. coronoides</i>	19.iii.1955	(MacKay, 1955)	1 Juv.
<i>D. coronoides</i>	23.iii.1966	(Green, 1969) R.H.G.	2 specs.
<i>D. coronoides</i>	_xi.1966	R.H.G.	1 spec. (head only) 2 specs.
<i>D. coronoides</i>	20.ix.1967	(Rawlinson, 1967)	1 spec.
<i>D. coronoides</i>	24.xi.1967	R.H.G.	1 spec.
<i>D. coronoides</i>	25.xi.1967	R.H.G.	1 spec.
<i>D. coronoides</i>	27.v.1968	D. Rhodes	1 spec.

<i>N. ater</i>	_xi.1968	D. Rhodes	1 spec. (head only)
<i>N. ater</i>	1978	D. Rhodes	1 Ad.
<i>N. ater</i>	22.ii.1983	D. Rhodes	1 spec.

FORSYTH ISLAND: 40° 31'S, 148° 19'E

<i>N. ater</i>	(MacKay, 1955)	Extremely common
----------------	----------------	------------------

GEORGE ROCKS: 40° 55'S, 148° 20'E

<i>P. metallica</i>	14.xi.1977	(Green, 1979) R.H.G.	Common/8 specs.
<i>P. metallica</i>	19.xii.1985	N.P.B.	Ad. ♂, testes 6 x 3

GOOSE ISLAND: 40° 18'S, 147° 48'E

<i>N. sp.</i>		(Brothers & Milledge, 1979)	
<i>P. metallica</i>	28.xi.1986	N.P.B.	S. Ad. ♂, testes 2 x 1
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. ♂, testes 6 x 2
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 3 embryos 70% dev.
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. +, 2 embryos 50 % dev.
<i>P. metallica</i>	29.xi.1986	N.P.B.	Ad. +, 3 embryos 40% dev.
<i>P. ocellata</i>	28.xi.1986	N.P.B.	Ad. +, 3 embryos 50% dev.
<i>P. ocellata</i>	29.xi.1986	N.P.B.	S. Ad. ♂, testes 2 x 1
<i>P. ocellata</i>	29.xi.1986	N.P.B.	Ad. +, 2 embryos 40% dev.
<i>P. ocellata</i>	29.xi.1986	N.P.B.	Ad. +, 3 embryos 70% dev.

GREAT DOG ISLAND: 40° 15'S, 148° 15'E

<i>P. metallica</i>	8.xii.1986	N.P.B.	Ad. ♂, testes 4.5 x 1.5
<i>P. metallica</i>	8.xii.1986	N.P.B.	Ad. +, 6 embryos 20% dev.
<i>P. metallica</i>	8.xii.1986	N.P.B.	Ad. +, 6 embryos 50% dev.
<i>P. metallica</i>	8.xii.1986	N.P.B.	Ad. +, 6 embryos 30% dev.
<i>P. metallica</i>	8.xii.1986	N.P.B.	Ad. +, 5 embryos 30% dev.
<i>P. metallica</i>		(Skira & Brothers, 1988)	Present
<i>P. ocellata</i>		(Skira & Brothers, 1988)	Present
<i>P. trilineata</i>	9.iii.1955	(MacKay, 1955)	3 specs.
<i>T. nigrolutea</i>	12-16.iii.1955	(MacKay, 1955)	1 slough
<i>T. nigrolutea</i>		(Skira & Brothers, 1988)	Present
<i>A. superbus</i>		(MacKay, 1955)	Believed to be common
<i>A. superbus</i>		(Skira & Brothers, 1988)	Occasionally seen
<i>N. ater</i>		(Skira & Brothers, 1988)	Reliable sightings

GREEN ISLAND: 43° 14'S, 145° 46'E

<i>P. pretiosa</i>		(White, 1981)	Several found
<i>P. pretiosa</i>		N.P.B.	2 specs.

GULL ISLAND: 40° 26'S, 148° 30'E

<i>P. metallica</i>	24.xi.1986	N.P.B.	S. Ad. ♂, testes .5 x .5
<i>P. metallica</i>	24.xi.1986	N.P.B.	Ad. +, 4 embryos 25% dev.

HEN ISLAND: 43° 34'S, 146° 36'E

<i>P. metallica</i>	12.xii.1987	N.P.B.	3 specs.
---------------------	-------------	--------	----------

HIPPOLYTE ROCKS: 43° 06'S, 148° 04'E

<i>P. metallica</i>	24.xi.1980	(Brothers & Skira, 1983)	N.P.B.	2 specs.
---------------------	------------	--------------------------	--------	----------

HOGAN ISLAND: 39° 13'S, 146° 59'E

<i>P. metallica</i>	14.xi.1984	N.P.B.	7 specs.
<i>P. trilineata</i>	14.xi.1984	N.P.B.	1 spec.
<i>L. bougainvillii</i>	14.xi.1984	N.P.B.	1 spec.
<i>E. whitii</i>	14.xi.1984	N.P.B.	4 specs.
<i>T. scincoides</i>	14.xi.1984	N.P.B.	Pers. comm./2 sighted

HUNTER ISLAND: 40° 30'S, 144° 45'E

<i>P. entrecasteauxii</i>	_xi.1973	R.H.G.	3 specs.
<i>P. metallica</i>	_xi.1973	R.H.G.	8 specs.
<i>P. metallica</i>	21.xi.1974	N.P.B.	1 spec.
<i>P. trilineata</i>	_xi.1973	R.H.G.	4 specs.
<i>E. whitii</i>	_xi.1973	R.H.G.	5 specs.
<i>T. nigrolutea</i>	-xi.1973	R.H.G.	2 specs.
<i>A. superbus</i>	15.xi.1973	R.H.G.	1 spec.
<i>D. coronoides</i>	_xi.1973	R.H.G.	5 specs.
<i>N. ater</i>		R.H.G.	Common

ILE DU GOLFE: 43° 35'S, 146° 33'E

<i>P. metallica</i>	15.xii.1987	N.P.B.	7 specs.
<i>P. pretiosa</i>	31.xii.1980	(White, 1981) G. White	S. Ad. ♂, not common
<i>P. trilineata</i>	15.xii.1987	N.P.B.	1 spec.

ISLE OF CAVES: 42° 54'S, 147° 38'E

<i>P. metallica</i>	14.viii.1984	N.P.B.	1 spec.
---------------------	--------------	--------	---------

ISABELLA ISLAND: 40° 08'S, 147° 56'E

<i>P. metallica</i>	10.xii.1986	N.P.B.	Ad. ♂, testes 5 x 3
---------------------	-------------	--------	---------------------

JUDGEMENT ROCKS (East): 39° 30'S, 147° 10'E

<i>P. metallica</i>	ii.xi.1984	N.P.B.	4 specs.
---------------------	------------	--------	----------

KING ISLAND: 40° 00'S, 144° 00'E

<i>P. entrecasteauxii</i>		(Rawlinson, 1967)	6 specs.
<i>P. entrecasteauxii</i>		P. Brown	2 specs.
<i>P. entrecasteauxii</i>	12.xii.1967	(Green & McGarvie, 1971)	
<i>P. entrecasteauxii</i>	30.iii.1969	M.T. Templeton	2 Ad./1 S. Ad.
<i>P. entrecasteauxii</i>	17.viii.1969	M.T. Templeton	6 specs.
<i>P. entrecasteauxii</i>	1.xii.1969	M.T. Templeton	1 spec.
<i>P. entrecasteauxii</i>	_i.1970	M.T. Templeton	13 specs.
<i>P. entrecasteauxii</i>	5.iii.1970	M.T. Templeton	7 specs.
<i>P. entrecasteauxii</i>	_iv.1970	M.T. Templeton	4 specs.
<i>P. entrecasteauxii</i>	_ii.1971	M.T. Templeton	1 spec.
<i>P. entrecasteauxii</i>	2.i.1972	M.T. Templeton	1 spec.
<i>P. entrecasteauxii</i>	3.iv.1972	M.T. Templeton	2 specs.
<i>P. entrecasteauxii</i>	5.x.1972	M.T. Templeton	2 specs.
<i>P. entrecasteauxii</i>	1972	M.T. Templeton	2 specs.
<i>P. entrecasteauxii</i>	27.viii.1972	M.T. Templeton	3 specs.

<i>P. entrecasteauxii</i>	15.x.1972	M.T. Templeton	4 specs.
<i>P. metallica</i>		(Rawlinson, 1967)	14 specs.
<i>P. metallica</i>	23.ii.1967	(Green & McGarvie, 1971)	
<i>P. metallica</i>	_i.1970	M.T. Templeton	1 spec.
<i>P. metallica</i>	_iii.1970	M.T. Templeton	27 specs.
<i>P. metallica</i>	_iv.1970	M.T. Templeton	2 specs.
<i>P. metallica</i>	_ii.1971	M.T. Templeton	1 spec.
<i>P. metallica</i>	_v.1971	M.T. Templeton	8 specs.
<i>P. metallica</i>	2.i.1972	M.T. Templeton	2 specs.
<i>P. metallica</i>	6.iii.1972	M.T. Templeton	1 spec.
<i>P. metallica</i>	_viii.1972	M.T. Templeton	4 specs.
<i>P. pretiosa</i>	30.iii.1969	(Green & McGarvie, 1971)	
<i>P. pretiosa</i>	7.xii.1969	(Green & McGarvie, 1971)	
<i>P. pretiosa</i>	_i.1970	M.T. Templeton	2 specs.
<i>P. pretiosa</i>	_iv.1970	M.T. Templeton	1 spec.
<i>P. pretiosa</i>	i.xi.1971	M.T. Templeton	3 specs.
<i>P. pretiosa</i>	_i.1972	M.T. Templeton	8 specs.
<i>P. pretiosa</i>	30.i.1972	M.T. Templeton	6 specs.
<i>P. pretiosa</i>	27.viii.1972	M.T. Templeton	3 specs.
<i>P. pretiosa</i>		(Rawlinson, 1974)	
<i>P. trilineata</i>		(Rawlinson, 1967)	2 specs.
<i>P. trilineata</i>	_v.1964	M.T. Templeton	1 Ad.
<i>P. trilineata</i>	27.ii.1968	(Green & McGarvie, 1971)	
<i>P. trilineata</i>	1.xii.1969	M.T. Templeton	1 Ad.
<i>P. trilineata</i>	_iii.1970	M.T. Templeton	3 specs.
<i>P. trilineata</i>	_ii.1971	M.T. Templeton	3 specs.
<i>P. trilineata</i>	_i.1972	M.T. Templeton	3 specs.
<i>P. trilineata</i>	7.i.1972	M.T. Templeton	2 specs.
<i>P. trilineata</i>	_ii.1972	M.T. Templeton	1 S. Ad.
<i>P. trilineata</i>	21.xi.1972	M.T. Templeton	2 specs.
<i>P. trilineata</i>	29.ii.1973	M.T. Templeton	1 spec.
<i>E. whittii</i>		(Rawlinson, 1967)	3 specs.
<i>E. whittii</i>	3.xi.1968	(Green & McGarvie, 1971)	
<i>E. whittii</i>	_ii.1970	D. Payne	1 Ad.
<i>E. whittii</i>	_vi.1971	M.T. Templeton	3 specs.
<i>E. whittii</i>	2.i.1972	M.T. Templeton	5 specs.
<i>E. whittii</i>	27.iii.1972	M.T. Templeton	2 specs.
<i>T. nigrolutea</i>		(Rawlinson, 1967)	4 specs.
<i>T. nigrolutea</i>	26.ii.1968	(Green & McGarvie, 1971) R.H.G.	Ad. + , 8 embryos
<i>A. superbus</i>		(Rawlinson, 1967)	5 specs.
<i>A. superbus</i>	14.xii.1967	(Green & McGarvie, 1971)	1 Ad.
<i>A. superbus</i>	20.ii.1967	(Green & McGarvie, 1971) R.H.G.	Ad. +
<i>A. superbus</i>	_iii.1970	M.T. Templeton	1 spec.
<i>A. superbus</i>	_x.1970	M.T. Templeton	2 specs.
<i>A. superbus</i>	_xi.1970	M.T. Templeton	1 spec.
<i>A. superbus</i>	4.i.1972	M.T. Templeton	1 spec.
<i>A. superbus</i>	_ii.1972	M.T. Templeton	1 spec.
<i>A. superbus</i>	_i.1973	M.T. Templeton	2 specs.
<i>A. superbus</i>	_iv.1973	M.T. Templeton	1 spec.
<i>D. coronoides</i>		(Rawlinson, 1967)	2 specs.
<i>D. coronoides</i>	15.xii.1967	(Green & McGarvie, 1971) R.H.G.	1 Ad.
<i>D. coronoides</i>	25.ii.1968	(Green & McGarvie, 1971) R.H.G.	Ad. +
<i>D. coronoides</i>	_i.1970	M.T. Templeton	1 Ad.
<i>D. coronoides</i>	_vi.1970	M.T. Templeton	1 spec.
<i>D. coronoides</i>	30.i.1972	M.T. Templeton	2 specs.
<i>D. coronoides</i>	17.iii.1983	M. McGarvie	1 Juv.
<i>D. coronoides</i>	1985	D. Whitchurch	1 spec.
<i>N. ater</i>		(Rawlinson, 1967)	
<i>N. ater</i>		(Green & McGarvie, 1971)	
<i>N. ater</i>	5.iii.1970	M.T. Templeton	1 spec.
<i>N. ater</i>		(Worrell, 1963)	Present

LITTLE ANDERSON ISLAND: 40° 18'S, 148° 07'E

<i>P. metallica</i>	25.xi.1986	N.P.B.	S. Ad. + , 3 ova 1.0
<i>P. ocellata</i>	25.xi.1986	N.P.B.	Ad. + , post partum
<i>L. bougainvillii</i>	25.xi.1986	N.P.B.	1 Juv.
<i>L. bougainvillii</i>	25.xi.1986	N.P.B.	Ad. + , 4 embryos 8.0

LITTLE CHALKY ISLAND: 40° 08'S, 147° 49'E

<i>P. metallica</i>	10.xii.1986	N.P.B.	Ad. + , 3 embryos 90% dev.
---------------------	-------------	--------	----------------------------

LITTLE DOG ISLAND: 40° 15'S, 148° 12'E

<i>P. metallica</i>	3.xii.1986	N.P.B.	Ad. + , 2 embryos 50% dev.
<i>P. metallica</i>	3.xii.1986	N.P.B.	Ad. + , 4 embryos 50% dev.
<i>P. trilineata</i>	8.iii.1955	(MacKay, 1955)	6 specs.

LITTLE GOOSE ISLAND: 40° 18'S, 147° 47'E

<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. ♂ , testes 5 x 2
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. + , 5 embryos 20% dev.
<i>P. metallica</i>	28.xi.1986	N.P.B.	Ad. + , 6 embryos 50% dev.

LITTLE GREEN ISLAND: 40° 14'S, 148° 15'E

<i>A. superbus</i>		(MacKay, 1955)	Believed to be found commonly
<i>N. ater</i>		(Skira & Brothers, 1988) b	Uncommon

LITTLE SWAN ISLAND: 39° 44'S, 148° 05'E

<i>P. metallica</i>	17.xii.1985	N.P.B.	S. Ad. ♂ , testes 2.5 x 1.5
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. ♂ , testes 5 x 2.5
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 5 embryos full term

LONG ISLAND: 39° 12'S, 147° 00'E

<i>E. whitti</i>	_.xi.1984	N.P.B.	Pers. comm./sighted
------------------	-----------	--------	---------------------

LONG ISLAND: 40° 22'S, 148° 00'E

<i>P. metallica</i>	1.xii.1986	N.P.B.	Ad. + , 6 embryos 50% dev.
<i>P. ocellata</i>	1.xii.1986	N.P.B.	S. Ad. +
<i>P. ocellata</i>	1.xii.1986	N.P.B.	Ad. + , 2 embryos 40% dev.
<i>P. ocellata</i>	1.xii.1986	N.P.B.	Ad. + , 3 embryos full term
<i>P. trilineata</i>	1.xii.1986	N.P.B.	S. Ad. ♂ , testes .5
<i>P. trilineata</i>	1.xii.1986		Ad. + , 4 eggs 12 x 6

LOUISA ISLAND: 43° 32'S, 146° 21'E

<i>P. pretiosa</i>	8.xii.1976	(White, 1981)	Common/8 specs.
<i>P. pretiosa</i>	9.xi.1971	(White, 1981)	2 specs.
<i>P. pretiosa</i>	9.xi.1971	(White, 1981) G. White	2 specs.

LOW ISLETS (Main): 40° 08'S, 147° 44'E

<i>P. metallica</i>	11.xii.1986	N.P.B.	Ad. + , 3 embryos 40% dev.
---------------------	-------------	--------	----------------------------

MAATSUYKER ISLAND: 43° 39'S, 146° 16'E

<i>P. metallica</i>	(White, 1981)	
<i>P. pretiosa</i>	(White, 1981)	Common
<i>P. pretiosa</i>	(Blackwell, Banks & Brown, 1979)	Common
<i>P. trilineata</i>	(Blackwell, Banks & Brown, 1979)	Common

MACLEAN ISLAND: 39° 46'S, 147° 56'E

<i>P. metallica</i>	17.xii.1985	N.P.B.	1 S. Ad.
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 2 embryos
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 3 embryos

MARIA ISLAND: 42° 38'S, 148° 05'E

<i>P. metallica</i>	1.v.1969	R.H.G.	18 specs.
<i>P. ocellata</i>	1.v.1969	R.H.G.	5 specs.
<i>P. pretiosa</i>	26.iv.1969	R.H.G.	1 spec.
<i>P. trilineata</i>	1.v.1969	R.H.G.	2 specs.
<i>E. whitii</i>	1.v.1969	R.H.G.	3 specs.
<i>T. casuarina</i>		R.H.G. unpub. data	Present
<i>T. nigrolutea</i>		R.H.G. unpub. data	Present
<i>A. superbus</i>		R.H.G. unpub. data	Present
<i>N. ater</i>		R.H.G. unpub. data	Present

MAVOURREEN ROCKS: 43° 18'S, 145° 56'E

<i>P. pretiosa</i>	_xii.1981	R.H.G.	2 specs.
--------------------	-----------	--------	----------

MEWSTONE: 43° 44'S, 146° 23'E

<i>P. pretiosa</i>	31.xii.1977	(Brothers, 1979)	Abundant
<i>P. pretiosa</i>		(White, 1981)	12 specs.
<i>P. pretiosa</i>	1984	N.P.B.	11 specs.

MOUNT CHAPPELL ISLAND: 40° 17'S, 147° 52'E

<i>P. metallica</i>	7.ii.1964	M.T.L.E. Vogelpoel	Many specs.
<i>P. metallica</i>	5.xi.1966	(Green, 1969) R.H.G.	3 specs.
<i>P. ocellata</i>	5.xi.1966	(Green, 1969) R.H.G.	1 spec.
<i>P. trilineata</i>	7.ii.1964	M.T.L.E. Vogelpoel	4 specs.
<i>L. bougainvillii</i>	29.xi.1986	N.P.B.	Ad. + , post partum
<i>L. bougainvillii</i>	29.xi.1986	(Brothers & Skira, 1987)	Very abundant
<i>N. ater</i>	11.iii.1955	(MacKay, 1955)	Ad. ♂, 2 Ad. ++ , extremely common
<i>N. ater</i>	6.ii.1964	(Green, 1969) M.T.L.E. Vogelpoel	2 Ad. ++
<i>N. ater</i>		(Worrell, 1963, Rawlinson, 1967)	Common
<i>N. ater</i>	4-8.xi.1966	(Green, 1969) M.T.L.E. Vogelpoel	24 specs.

MUTTON BIRD ISLAND: 43° 25'S, 145° 56'E

<i>P. metallica</i>	Jan. 1977	(White, 1981)	Not very common
<i>P. pretiosa</i>	Jan. 1977	(White, 1981)	Not very common

NEEDLE ROCKS: 43° 40'S, 146° 16'E

<i>P. metallica</i>	11.xii.1987	N.P.B.	9 specs.
---------------------	-------------	--------	----------

NEW YEAR ISLAND: 39° 40'S, 143° 50'E

<i>N. ator</i>		(Rawlinson, 1967)	8 specs.
<i>N. ator</i>	_ii.1964	(Green & McGarvie, 1971)	Numerous

NINTH ISLAND: 40° 50'S, 147° 16'E

<i>P. trilineata</i>	3.xii.1985	N.P.B.	3 specs.
----------------------	------------	--------	----------

NORTH EAST ISLAND: 39° 27'S, 147° 23'E

<i>P. metallica</i>	16.xi.1984	N.P.B.	2 specs.
<i>P. metallica</i>	22.ii.1987	N.P.B.	1 Juv.
<i>P. metallica</i>	22.ii.1987	N.P.B.	Ad. ♂, testes 4 x 3
<i>P. metallica</i>	22.ii.1987	N.P.B.	Ad. ♂, testes 6 x 4
<i>P. metallica</i>	22.ii.1987	N.P.B.	Ad. +, ova 0.5
<i>L. bougainvillii</i>	22.ii.1987	N.P.B.	Ad. ♂, testes 5 x 2
<i>L. bougainvillii</i>	22.ii.1987	N.P.B.	Ad. +, ova 0.5
<i>E. whitii</i>	16.xi.1984	N.P.B.	Pers. comm./sighted

NORTH PASCOE ISLAND: 39° 55'S, 147° 47'E

<i>E. whitii</i>	14.xii.1986	N.P.B.	Ad. ♂, testes 5 x 3
<i>E. whitii</i>	14.xii.1986	N.P.B.	S. Ad. +, ova 0.5

NUGGETS (THE): 42° 07'S, 148° 22'E

<i>P. metallica</i>	28.x.1978	(Brothers, 1980)	Sighted
---------------------	-----------	------------------	---------

PASSAGE ISLAND: 40° 31'S, 148° 20'E

<i>P. metallica</i>	25.xi.1986	N.P.B.	Ad. ♂, testes 4 x 2
<i>P. metallica</i>	25.xi.1986	N.P.B.	Ad. +, 6 embryos 40% dev.
<i>E. whitii</i>	25.xi.1986	N.P.B.	S. Ad. ?
<i>E. whitii</i>	25.xi.1986	N.P.B.	3 Ad. ♂♂, testes 2 x 1
<i>E. whitii</i>	25.xi.1986	N.P.B.	Ad. ♂, testes 6 x 3
<i>E. whitii</i>	25.xi.1986	N.P.B.	Ad. ♂, testes 3 x 1.5
<i>E. whitii</i>	25.xi.1986	N.P.B.	S. Ad. +, ova 0.5
<i>E. whitii</i>	25.xi.1986	N.P.B.	Ad. +, post partum

PEDRA BRANCA: 43° 51'S, 146° 59'E

<i>P. palfreymani</i>		(White, 1981)	Present
<i>P. palfreymani</i>	7.x.1988	(Brothers, 1979)	2 specs.
<i>P. palfreymani</i>		(Hickey, 1986)	20 specs.

PRESERVATION ISLAND: 40° 29'S, 148° 03'E

<i>P. entrecasteauxii</i>	2.v.1978	B. Bensemann	Ad. +, in gut of <i>D. coronoides</i>
<i>P. metallica</i>	27.xi.1986	N.P.B.	S. Ad. ♂, testes 1 x .5
<i>P. metallica</i>	27.xi.1986	N.P.B.	Ad. ♂, testes 4 x 2
<i>P. metallica</i>	27.xi.1986	N.P.B.	Ad. +, 6 embryos 50% dev.
<i>P. metallica</i>	27.xi.1986	N.P.B.	Ad. +, 5 embryos full term
<i>P. ocellata</i>	27.xi.1986	N.P.B.	S. Ad. +, ova 0.5
<i>E. whitii</i>	27.xi.1986	N.P.B.	Ad. +, ova 0.5
<i>E. whitii</i>	27.xi.1986	N.P.B.	Ad. +, 1 ova 5.0
<i>E. whitii</i>	27.xi.1986	N.P.B.	Ad. +, 4 embryos 51% dev.
<i>A. superbus</i>	14.v.1977	E. McCrae	Head only
<i>D. coronoides</i>	_iv.1975	B. Bensemann	Ad.
<i>D. coronoides</i>	2.v.1978	B. Bensemann	Juv. +

PRIME SEAL ISLAND: 40° 24'S, 147° 46'E

<i>P. metallica</i>	2.iv.1972	J.W. Swift	2 specs.
<i>P. metallica</i>	11.xii.1986	N.P.B.	Ad. +, 6 embryos 90% dev.
<i>P. trilineata</i>	11.xii.1986	N.P.B.	Ad. +, 4 eggs

RHODONDO ISLAND: 39° 14'S, 146° 22'E

<i>P. metallica</i>	13.xi.1984	N.P.B.	9 specs.
<i>E. tympanum</i>	13.xi.1984	N.P.B.	Pers. comm./2 specs.
<i>E. whitii</i>	13.xi.1984	N.P.B.	4 specs.

ROUND ISLET: 39° 13'S, 147° 00'E

<i>P. metallica</i>		N.P.B.	Pers. comm./sighted
<i>E. whitii</i>		N.P.B.	Pers. comm./sighted

ROUND TOP ISLAND: 43° 39'S, 146° 22'E

<i>P. metallica</i>	11.xii.1987	N.P.B.	1 spec.
<i>P. pretiosa</i>		(White, 1981)	Sighted

ROYDON ISLAND: 39° 55'S, 147° 46'E

<i>P. metallica</i>	16.xii.1986	N.P.B.	Ad. +, ova 1.0
<i>E. whitii</i>	15.xii.1986	N.P.B.	2 Ad. ♂♂, testes 4 x 2

SEAL ROCKS: 40° 09'S, 143° 58'E

<i>N. ater</i>		(Rawlinson, 1967)	Recorded
----------------	--	-------------------	----------

SENTINEL ISLAND: 39° 50'S, 147° 46'E

<i>P. metallica</i>	15.xii.1986	N.P.B.	Ad. ♂, testes 3 x 2
<i>P. metallica</i>	15.xii.1986	N.P.B.	19 specs.

SOUTHPORT ISLAND: 43° 28'S, 147° 00'E

<i>P. metallica</i>	4.xii.1980	(Brothers, 1983)	Present
---------------------	------------	------------------	---------

SOUTH PASCO ISLAND: 39° 57'S, 147° 46'E

<i>E. whitii</i>	14.xii.1986	N.P.B.	Ad. ♂, testes 6 x 3
<i>E. whitii</i>	14.xii.1986	N.P.B.	Ad. +, 3 embryos 10% dev.

SOUTH WEST ISLAND: 39° 31'S, 147° 07'E

<i>P. metallica</i>	11.xi.1984	N.P.B.	5 specs.
<i>P. metallica</i>	23.ii.1989	N.P.B.	Ad. ♂, testes 4 x 6
<i>P. metallica</i>	23.ii.1989	N.P.B.	Ad. +
<i>L. bougainvillii</i>	11.xi.1984	N.P.B.	2 specs.
<i>E. whitii</i>	11.xi.1984	N.P.B.	2 specs.

ST. HELENS ISLAND: 41° 02'S, 148° 21'E

<i>P. metallica</i>		N.P.B.	1 spec.
<i>P. ocellata</i>		N.P.B.	1 spec.
sp.	1978	(McManus, 1979)	Plentiful among rocks & tussocks

STEEP ISLAND: 40° 34'S, 144° 41'E

<i>P. metallica</i>	_i.1984	N.P.B.	1 spec.
---------------------	---------	--------	---------

STERILE ISLAND: 43° 32'S, 147° 00'E

<i>P. metallica</i>	4.xii.1980	(Brothers, 1983)	Small numbers
---------------------	------------	------------------	---------------

STOREHOUSE ISLAND: 39° 57'S, 148° 21'E

<i>P. metallica</i>	4.xii.1986	N.P.B.	Ad. +, 2 embryos 20% dev.
---------------------	------------	--------	---------------------------

SUGARLOAF ROCK: 43° 25'S, 145° 54'E

<i>P. pretiosa</i>	_xii.1981	N.P.B.	2 specs.
--------------------	-----------	--------	----------

SWAINSON ISLAND: 43° 22'S, 145° 54'E

<i>P. pretiosa</i>	_xii.1981	N.P.B.	5 specs.
--------------------	-----------	--------	----------

SWAN ISLAND: 39° 45'S, 148° 06'E

<i>P. metallica</i>	18.xii.1985	N.P.B.	Ad. ♂, testes 5 x 2.5
<i>P. metallica</i>	18.xii.1985	N.P.B.	Ad. +, 5 embryos full term
<i>P. metallica</i>	18.xii.1985	N.P.B.	4 Ad. ++, 4 embryos full term
<i>P. metallica</i>	18.xii.1985	N.P.B.	Ad. +, 3 embryos full term
<i>P. metallica</i>	18.xii.1985	N.P.B.	2 Ad. ++, 3 embryos part term
<i>P. metallica</i>	18.xii.1985	N.P.B.	Ad. +, 6 ova 0.3
<i>P. metallica</i>	18.xii.1985	N.P.B.	Ad. +, 10 ova 0.3
<i>L. bougainvillii</i>	18.xii.1985	N.P.B.	Ad. +, ovum 11 x 5
<i>E. whitii</i>	18.xii.1985	N.P.B.	S. Ad. +, 4 ova 0.1
<i>E. whitii</i>	18.xii.1985	N.P.B.	2 Ad. ++, 3 embryos part term
<i>E. whitii</i>	18.xii.1985	N.P.B.	Ad. +, 2 embryos part term

TASMAN ISLAND: 43° 14'S, 147° 56'E

<i>P. metallica</i>	_.iii.1977	(Brothers, 1979)	N.P.B.	Common/12 specs.
<i>P. metallica</i>	_.vii.1980	(Brothers, 1969)	N.P.B.	Common/1 spec.
<i>P. ocellata</i>	_.iii.1977	(Brothers, 1969)	N.P.B.	Common/3 specs.
<i>P. pretiosa</i>	_.vii.1980	(Brothers, 1969)	N.P.B.	Common/12 specs.
<i>E. whitii</i>		(Brothers, 1979)		Common
<i>C. casuarinae</i>		(Brothers, 1979)		Common

THE THUMBS: 43° 06'S, 147° 59'E

<i>P. metallica</i>	21.xi.1980	(Brothers, 1983)	Small numbers
---------------------	------------	------------------	---------------

TREFOIL ISLAND: 40° 38'S, 144° 41'E

<i>P. metallica</i>	18.iii.1982	G. Towney	
<i>N. ater</i>		(Towney & Skira, 1985)	Infrequently seen

TRUMPETER ISLAND: 43° 14'S, 145° 48'E

<i>P. pretiosa</i>		N.P.B.	1 spec.
<i>P. pretiosa</i>		(White, 1981)	1 spec.

VANSITTART ISLAND: 40° 17'S, 148° 18'E

<i>P. entrecasteauxii</i>	6.xii.1986	N.P.B.	Ad. + , 4 embryos 80% dev.
<i>P. entrecasteauxii</i>	6.xii.1986	N.P.B.	Ad. + , 3 embryos full term
<i>P. entrecasteauxii</i>	6.xii.1986	N.P.B.	Ad. + , ova 0.5
<i>P. metallica</i>	6.xii.1986	N.P.B.	Ad. ♂ , testes 5 x 2
<i>P. metallica</i>	6.xii.1986	N.P.B.	Ad. ♂ , testes 4 x 2
<i>L. bougainvillii</i>	20.vi.1973	F. Rhodes	1 spec.
<i>L. bougainvillii</i>	6.xii.1986	N.P.B.	Ad. ♂ , testes 2 x 1
<i>L. bougainvillii</i>		N.P.B.	Ad. + , ova 1 x 1

VISSCHER ISLAND: 42° 51'S, 147° 58'E

<i>P. metallica</i>	11.ii.1984	Mawby & Richardson	4 specs.
---------------------	------------	--------------------	----------

WALKER ISLAND: 40° 36'S, 144° 56'E

<i>P. trilineata</i>	_.xi.1957	R.H.G.	1 spec.
----------------------	-----------	--------	---------

WALKER ISLAND: 43° 38'S, 146° 16'E

<i>P. pretiosa</i>		(White, 1981)	1 spec.
--------------------	--	---------------	---------

WATERHOUSE ISLAND: 39° 48'S, 147° 38'E

<i>P. metallica</i>	17.viii.1962	R.H.G.	28 specs.
<i>P. ocellata</i>	17.viii.1962	R.H.G.	20 specs.
<i>P. trilineata</i>	17.viii.1962	R.H.G.	1 spec.
<i>L. bougainvillii</i>	17.viii.1962	(Green, 1965) R.H.G.	13 specs.
<i>E. whitii</i>	22.ii.1987	N.P.B.	3 specs.

WEST FORSTER ISLAND: 39° 44'S, 147° 58'E

<i>P. metallica</i>	17.xii.1985	N.P.B.	S. Ad. + , 4 ova 0.3
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 3 embryos full term
<i>P. metallica</i>	17.xii.1985	N.P.B.	Ad. + , 3 embryos part term

WEST MONCOUER ISLAND: 39° 14'S, 146° 28'E

<i>P. metallica</i>	13.xi.1984	N.P.B.	1 spec.
---------------------	------------	--------	---------

WEST PYRAMID: 43° 18'S, 145° 49'E

<i>P. pretiosa</i>	4.xii.1981	(Brothers, 1985) N.P.B.	3 specs.
--------------------	------------	-------------------------	----------

WEST SISTER ISLAND: 39° 42'S, 147° 50'E

<i>P. trilineata</i>	15.xii.1986	N.P.B.	S. Ad. + , ova 0.2
<i>P. trilineata</i>	15.xii.1986	N.P.B.	Ad. + , 7 eggs
<i>P. trilineata</i>	15.xii.1986	N.P.B.	Ad. + , 10 eggs
<i>E. whitti</i>	1969	J. Whinray	16 specs.
<i>E. whitti</i>	15.xii.1986	N.P.B.	Ad. + , 3 embryos 10% dev.

WYBALENNIA ISLAND: 40° 51'S, 147° 51'E

<i>P. metallica</i>	12.xii.1986	N.P.B.	Ad. ♂ , testes 4 x 2
<i>P. metallica</i>		N.P.B.	Ad. + , 4 embryos 50% dev.
<i>P. metallica</i>		N.P.B.	Ad. + , 5 embryos 80% dev.

Unnamed island (E. of Ketchem Island): 43° 32'S, 146° 07'E

<i>P. pretiosa</i>	_.xii.1981	N.P.B.	2 specs.
--------------------	------------	--------	----------

Unnamed island: 43° 31'S, 146° 09'E

<i>P. pretiosa</i>	_.xii.1981	N.P.B.	1 spec.
--------------------	------------	--------	---------

REFERENCES

- Blackwell, P., Banks, E. & Brown, D. (1979) Maatsuyker Island - Most Southerly Light. Tasmanian Conservation Trust, Hobart.
- Brothers, N.P. (1979) Seabird Islands *Corella* 3(3): 55-69.
- Brothers, N.P. (1980) Seabird Islands *Corella* 4(4): 110-112.
- Brothers, N.P. (1983) Seabird Islands *Corella* 7(4): 83-92.
- Brothers, N.P. (1985) Seabird Islands *Corella* 8(5): 105-110.
- Brothers, N.P. & Milledge, D.R. (1979) Seabird Islands *Corella* 3(3): 46-47.
- Brothers, N.P. & Skira, I.J. (1983) Seabird Islands *Corella* 7(4): 80-82.
- Brothers, N.P. & Skira, I.J. (1987) Seabird Islands *Corella* 11(5): 81-82.
- Cashion, T. (1959) Preliminary notes on *Notechis scutatus niger*, Kinghorn, on Cat Island, Fumeaux Group. *Paps. Proc. R. Soc. Tasm.* 93: 111.
- Green, R.H. (1965) Two Skink Lizards Newly Recorded from Tasmania. *Rec. Queen Vic. Mus.* No. 19: 1-4
- Green, R.H. (1969) The Birds of Flinders Island. *Rec. Queen Vic. Mus.* No. 34: 1-32.
- Green, R.H. (1974) Albatross Island, 1973. *Rec. Queen Vic. Mus.* No. 51: 1-17.
- Green, R.H. (1979) Biological Observations, George Rocks, North Eastern Tasmania. *Rec. Queen Vic. Mus.* No. 66: 1-11.
- Green, R.H. & McGarvie, A.M. (1971) Birds of King Island. *Rec. Queen Vic. Mus.* No. 40: 1-42.
- Hickey, G. (1986) In *Aust. Nat. Hist.* 22(2): 81.
- Hutchinson, M.N., Robertson, P. & Rawlinson, P.A. (1989) Redescription and ecology of endemic Tasmanian scincid lizards *Leiolopisma microlepidotum* & *L. pretiosum*. *Paps. Proc. R. Soc. Tasm.* 123: pp.257-274.
- Le Soeuf (1902) A visit to the Fumeaux Group of Islands. *Vict. Nat.* No. 18: 181-188.
- Macdonald, Duncan & Green, R.H. (1963) Albatross Island. *The Emu* 63(1): 23-31.
- MacKay, R.D. (1955) Notes on a collection of reptiles and amphibians from the Fumeaux Islands, Bass Strait. *Aust. Zool.* 12: 160-164.
- McManus, T.J. (1979) Seabird Islands *Corella* 3(3): 52-54.
- Rawlinson, P.A. (1967) The vertebrate fauna of Bass Strait islands: 2. The Reptiles of Flinders & King Islands. *Proc. R. Soc. Vict.* 80: 211-223.
- Rawlinson, P.A. (1974) Biogeography and ecology of the reptiles of Tasmania and the Bass Strait area. In Williams, W.D., Editor. *Biogeography and Ecology in Tasmania*: 291-338.

- Robertson, B.I. (1981) *Seabird Islands Corella* 5(3): 49-52.
- Serenty, D.L. (1977) *Seabird Islands Corella* 1(3): 60-62.
- Skira, I.J. & Brothers, N.P. (1987) *Seabird Islands Corella* 11(3): 79-80.
- Skira, I.J. & Brothers, N.P. (1988) a *Seabird Islands Corella* 12(3): 78-84.
- Skira, I.J. & Brothers, N.P. (1988) b *Seabird Islands Corella* 12(3): 80-81.
- Towney, G. & Skira, I.J. (1985) a *Seabird Islands Corella* 8(5): 103-104.
- Towney, G. & Skira, I.J. (1985) b *Seabird Islands Corella* 8(5): 111-112.
- Warham, J. (1979) *Seabird Islands Corella* 3(3): 42-45.
- White, G. (1979) *Seabird Islands Corella* 3(3): 66-67.
- White, G. (1981) *Islands of South West Tasmania*, the author, Sydney.
- Worrell, E.R. (1963) *Reptiles of Australia*. Angus and Robertson, Sydney.

TABLES 1 - 5

Reptiles of the islands around Tasmania and the locations from which they have been collected. The islands have been grouped in five geographical regions and listed in alphabetical order.

A "+" indicates specimens held in the collections of the Queen Victoria Museum, "Δ" is for literature records when specimens are not available, and "O" is for unpublished sight records only.

FIGURES 1, 2 and 3

One hundred and ten islands around Tasmania from which we have records of reptiles. Accepted names of the islands are given following the reference numbers in Tables 1 - 5. Figure 1 includes three geographical regions, the Furneaux Group, bass Strait north of the Furneaux Group and the north-east coast. Figure 2 covers the southern islands and Figure 3 covers the north-western islands.

FIGURE 1 : NORTH-EASTERN ISLANDS INCLUDING FURNEAUX GROUP




FIGURE 2 : SOUTHERN ISLANDS





FIGURE 3 : NORTH-WESTERN ISLANDS



NORTH-EAST COASTAL (TABLE 1)

BASS STRAIT - NORTH OF FURNEAUX GROUP (TABLE 2)

NORTH-EASTERN ISLANDS INCLUDING FURNEAUX GROUP (TABLE 3)

SOUTHERN COASTAL (TABLE 4)

NORTH WESTERN (TABLE 5)